



COMPLETE RANGE OF SAFES & LOCKS




Our manufacturing units are equipped with the latest CNC Machines, Hi-Tech Laser Machines, Water-Jet Cutting Machines, and Automatic Polishing and Robotic Welding Machines to deliver consistent finishes. All units have unique operations that work together continuously at maximum efficiency. Each product is checked for quality and perfection, ensuring the highest level of customer satisfaction.











Scan QR Code for Manufacturing Facility

Cluster-1 Kala Amb. Himachal Pradesh, India



Ozone continues with the concept of 'Total Vision' to create transparent & elegant commercial spaces. Every fitting in our Architectural Glass Hardware range is designed to meet the concept of 'Total Vision'.

Ozone is a young, dynamic company offering Architectural Hardware & Security Solutions through a wide range of standard and customized products. A solution-centric approach has enabled Ozone to grow from a startup to one of the leading brands in the Architectural Hardware Industry. Globally, the Company has made its footprint by supplying goods to almost 40+ countries. With a Global Perspective in mind right from its inception, the Company has ensured each product has the quality and certifications so that they can be offered to all markets.


Manufacturing Capabilities

Our state-of-the-art Manufacturing Facilities backed by design capability enable us to provide other OEM services in India and Overseas. We can offer Stainless Steel OEM services for manufacturing of Casted, Machine Turning, & Sheet Metal Components in all grades of Stainless Steel and other metals.





OZONE EXPERIENCE CENTRES



Explore the new world of Ozone with a diverse range of products, including glass fittings, security solutions, door hardware, partition systems, kitchen & furniture fittings, shower enclosures, wardrobes, automatic doors, and more-all under one roof!

Ozone empowers architects, builders, and homeowners to touch, feel, and explore each product firsthand. With a focus on quality and customization, our vast range of products and solutions can be tailored to meet specific needs and requirements.

Ozone ensures every solution meets and exceeds expectations, providing the perfect blend of functionality, style, and security.

Visit us and experience the future with Ozone!



OZONE EXPERIENCE CENTRE - BENGALURU

Building No. 62, Asha Pearl, 100 Feet Rd, Defence Colony, Indiranagar, Bengaluru, Karnataka - 560038



OZONE EXPERIENCE CENTRE - CHENNAI

Build HQ, Raja Annamalai, Building, 1st Floor, Rukmani, Lakshmipathi Rd, Egmore, Chennai, Tamil Nadu - 600008



OZONE EXPERIENCE CENTRE - LUCKNOW

Ground Floor, Eldeco Corporate Chamber -1, Vibhuti Khand, Gomti Nagar, Lucknow - 226010


About Ozone

Everything starts with a purpose. We did too. Ozone – For a Safer World.

Two decades later, with a larger team and business verticals, we have successfully ventured into Safety, Security, and Hardware solutions – for Residential and Commercial establishments.

Ozone offers new-age Security Solutions consisting of Digital Locks, Digital Safes, & IoT-based products suitable for Homes, Offices, Hospitals, Hotels & Other Commercial Establishments.

The range offers convenience and familiarity to the users through multi-authentication modes, i.e., Fingerprints, User Passwords, RFID Cards, Emergency keys, and a user-friendly app.





Our Product Range

For over two decades, Ozone has offered Architectural Hardware & Security Solutions with a diversified portfolio of more than 5000 products. These products are tested and certified internationally for quality, functionality, and performance.


Architectural Hardware











Glass Partition Systems

STEALTH SLIM FRAME DOORS










Door Hardware, Kitchen & Furniture Fittings

DOOR HARDWARE










Safes & Locks

SMART LOCKS





FURNITURE LOCKS



SAFES

SMART DEVICES

INDEX

Smart Locks 01-55

Iris Series

Morphy Series

Oracle Series

Trinity Lock Series

Narrow Style Series

Double-sided Fingerprint Rim Lock

Cleo Smart Lock

Electric Rim Lock

Glass Door Lock

Furniture Locks 56-69

Password, Fingerprint, & Key Lock

RFID, Fingerprint, & Password Lock

Smart Devices 70-79

Video Door Phone

Smart Video Door Bell

Safes 80-128

Fire Resistant Safes Series

Fire Resistant Notify Safes


Home & Office Safes

Anti-Burglary Tool Resistant Safes


Anti-burglary Smart Safe

Anti-burglary Fire & Tool Resistant Safe

Hotel Safes




www.ozone.in 01



SAFES & LOCKS

Our range of Next Generation Video Door Phones, Smart Cameras & Doorbells come with a pre-installed rotation base that enables 360 degrees view of the area.

Additionally, Infrared LED illuminators enable night vision to the camera for the perfect night vision and are accessible through Google Nest and Alexa Voice assistant for a convenient approach.



ACCESS RIGHTS

A new perspective on home security, the range allows you to control multi-dimensional aspects of your home through Biometric fingerprints, a simple Password, RFID card, or a user-friendly App 'OzoLife' that enables operating the lock from a remote location; as per your specific lifestyle and at the leisure of your convenience.



ADMIN

The feature allows the Admin to create new admins, modify or delete the right of an existing admin and regular users, and perform various activities of regular and Admin users' accounts, including but not limited to resetting the product, accessing the settings and logs of the device.



USER

Regular users can access the product through pre-defined access modes. However, they cannot perform the rights of an Admin, such as adding or deleting users, resetting the product, etc.



GUEST RIGHTS

Guest users can access the product through the One-Time generated Password. The password is valid for a certain period and cannot be reused by the guest(s).

ALARM



LOW BATTERY ALARM

The device triggers an alarm if the battery comes below a predefined voltage threshold of 4.8V reminding users to replace batteries days prior to the estimated discharged period.



DOOR ENGAGED ALARM

The device will trigger the alarm if the deadbolt is not properly engaged and the door remains open.



BREAK-IN ALARM


The devices will trigger the alarm and alert the user if there's an attempted break-in.



The device will activate the alarm and disable the keypad on consecutive incorrect authentication attempts for a specified amount of time.



modes for different types of users.





AUTO LOCKING MODE

This mode makes sure the door gets locked automatically within 3-15 seconds after it closes as per user defined instruction.



PRIVACY LOCKING MODE

The Privacy Mode can be used to restrict access to your home. Once it is activated the door cannot be opened by any other user. Only the Admin and the Emergency Key can open it.



PASSAGE MODE

Passage Mode enables manual locking in areas which does not require locking everytime it is accessed, so that the door does not get locked every time it shuts and gives user the convenience of opening lock without authentication.

SMART FEATURES



Dual Combination Mode



Audit Trail



Child Safety Button



Smart Freeze




Anti-theft Password



USB Port for Emergency Power Backup

www.ozone.in 05

OZONE SECURITY SYSTEM









Smart Locks

Iris Series
Morphy Series
Oracle Series
Trinity Lock Series
Narrow Style Series
Double-sided Fingerprint Rim Lock
Cleo Smart Lock
Electric Rim Lock
Glass Door Lock

Bring home the readily available key – Your Fingerprint

Ease of operation and convenience of use is the modern mantra of living. Remove the hassle of keys in a living space and be confident with our range of Smart Locks that can be installed on any door, be it glass, wooden, or metal.

Fingerprints can operate these locks or a simple Password, RFID card, or even a user-friendly mobile application on a smartphone that enables operating the lock from a remote location.


08 www.ozone.in www.ozone.in

Make your life easier than ever



EZONE

IRIS SERIES



| Smart Features | Active video intercom Electronic door eye Door bell function Anti-theft password Two- way communication Lithium-ion rechargeable battery Smart freeze Child safety button USB battery backup Volume setting Auto locking Passage mode Night latch Remotely unlock Auto secure alarm Low battery indication alarm Break-in alarm Audit trail Mortised locking & unlocking Dual surveillance camera |
|------------------|---|
| Password | 6-15 digit number combination |
| Door Thickness | 45-120 mm |
| Power | Lithium-ion rechargeable battery |
| Battery Life | Approx. 3500 open & close operations |
| Types of Pasword | Timed Permanent |
| Access Modes | Registration |
| Face | Upto 20 Nos. |
| Palm | Upto 20 Nos. |
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 50 Nos. |
| Password | Upto 50 Nos. |





((o)) Wi-Fi Frequency 2.4Ghz Only



IRIS 3D FACIAL & PALM RECOGNITION SMART DOOR LOCK

OZ-IRIS-11-LIFE PLUS STD RG ₹

For External Doors Application: Wooden Doors | Metal Doors





OzoLife App


Finish:












60 x 68mm Lock Body

Front Panel

Back Panel

EZONE

IRIS SERIES



| Smart Features | Passive video intercom Electronic door eye Door bell function Anti-theft password Two- way communication Lithium-ion rechargeable battery Smart freeze Child safety button USB battery backup Volume setting Auto locking Passage mode Night latch Remotely unlock Auto secure alarm Low battery indication alarm Break-in alarm Audit trail Mortised locking & unlocking |
|------------------|---|
| Password | 6-15 digit number combination |
| Door Thickness | 45-120 mm |
| Power | Lithium-ion rechargeable battery |
| Battery Life | Approx. 3500 open & close operations |
| Types of Pasword | Timed Permanent |

| Access Modes | Registration |
|--------------|---------------|
| Face | Upto 50 Nos. |
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 50 Nos. |
| Password | Upto 50 Nos. |





((o)) Wi-Fi Frequency 2.4Ghz Only







3D FACIAL RECOGNITION SMART DOOR LOCK

OZ-IRIS-11-LIFE STD RG ₹

For External Doors Application: Wooden Doors | Metal Doors




OzoLife App


Finish:














Front Panel

Back Panel





| Smart Features | Door bell function Anti-theft password | |
|------------------|--|--|
| | Smart freeze USB battery backup(C-type) | |
| | Volume setting Child safety function | |
| | Voice guided operation Auto locking | |
| | Passage mode Night Latch Remotely unlock | |
| | Auto secure alarm Low battery indicator | |
| | Break-in alarm Dual combination mode | |
| Password | 6-15 digit number combination | |
| Door Thickness | 40-100 mm | |
| Power | 4200 mAh Lithium-ion rechargeable battery | |
| Battery Life | Approx. 3500 open & close operations | |
| Types of Pasword | Timed Permanent | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 50 Nos. |
| Password | Upto 50 Nos. |

| | 000 | <u>Ozo</u> | L® | Ŷ |
|-------------|------------|-----------------------|-----------|------------------|
| Fingerprint | Password | OzoLife Mobile App | RFID Card | Emergency Key |
| User Acce | ess Rights | | | |
| | •• | ∳ ⊾ | | |
| Admin | User | Guest | | |
| Alarms | | | | |
| | | | | |
| | | 4 | | |

Connectivity



Wi-Fi Frequency 2.4Ghz Only





MORPHY NXT PLUS-i

OZ-FDL-02-LIFE-NXT PLUS-i BLACK ₹ OZ-FDL-02-LIFE-NXT PLUS-i AC

For External Doors Application: Wooden Doors | Metal Doors




OzoLife App







Antique Copper

www.ozone.in








EZONE

19

MORPHY SERIES





| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |



((o))

Wi-Fi Frequency 2.4Ghz Only



MORPHY NXT-i

OZ-FDL-02-LIFE-NXT-i BLACK ₹ OZ-FDL-02-LIFE-NXT-i ROSE GOLD €

For External Doors

Application: Wooden Doors | Metal Doors



OzoLife App




Black

Finishes:

Rose Gold




Disclaimer: The features may differ as per the product model.



18

EZONE

MORPHY SERIES



| Smart Features | Door bell function Anti-theft password | |
|------------------|--|--|
| | Smart freeze Child safety button USB battery | |
| | backup Volume setting Auto locking | |
| | Passage mode Night latch Remotely unlock | |
| | Auto secure alarm Low battery | |
| | indication alarm Break-in alarm Audit trail | |
| Password | 6-15 digit number combination | |
| Door Thickness | 35-110 mm | |
| Power | AA alkaline battery X4(DC 6V) | |
| Battery Life | Approx. 3500 open & close operations | |
| Types of Pasword | Timed Permanent | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |



Connectivity



Wi-Fi Frequency 2.4Ghz Only



MORPHY NXT-2

OZ-FDL-02-LIFE-NXT BLACK ₹

For External Doors Application: Wooden Doors | Metal Doors




OzoLife App






√ Ø5.5 Hole with Mini Dead Bolt 60 x 68mm Lock Body



EZONE

MORPHY SERIES



| Smart Features | Dual combination mode Door bell function Anti- |
|------------------|--|
| | theft password Smart freeze Privacy locking |
| | USB battery backup Volume setting Auto locking |
| | Passage mode Remotely unlock Auto secure |
| | alarm Low battery indication alarm |
| | Audit trail |
| Password | 6-15 digit number combination |
| Door Thickness | 30-50 mm |
| Power | AAA alkaline battery X4(DC 6V) |
| Battery Life | Approx. 3500 open & close operations |
| Types of Pasword | Timed Permanent |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |

| Access M | odes | | | |
|---------------------|------------------------|------------|-----------|-----------|
| Fingerprint | OOO OOO Password | OzoLife | RFID Card | Emergency |
| | | Mobile App | | Key |
| User Acce | ess Rights | | | |
| | •• | i. | | |
| A I A | | 71 # | | |
| Admin | User | Guest | | |
| Alarms | | | | |
| 11/ | | | | |
| | Ÿ | | | |
| Low | Auto | | | |
| Battery | Secure | | | |

Connectivity



Wi-Fi Frequency 2.4Ghz Only



MORPHY LIFE LITE-2

OZ-FDL-02-LIFE-LITE BLACK ₹ OZ-FDL-02-LIFE-LITE AC 奈

For Internal Doors Application: Wooden Doors | Metal Doors




OzoLife App








Copper







| - | | |
|--|--|--|
| OTP Timed Permanent Cyclic Dynamic | | |
| Approx. 3500 open & close operations | | |
| AA alkaline battery X 4 (DC 6V) | | |
| 35-65 mm | | |
| 6-15 digit number combination | | |
| Google assistant / alexa Privacy locking | | |
| Smart freeze USB for battery backup | | |
| Audit trail Low power consumption | | |
| Passage mode Anti-theft password | | |
| | | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 30 Nos. |
| Password | Upto 30 Nos. |

For Remote operation (Bluetooth Model)









ORACLE

OZ-FDL-11-R-LIFE ≯

For Internal Doors Application: Wooden Doors



Works with







Black Bronze

Finishes:







Disclaimer: The features may differ as per the product model.

*Applicable with Gateway





| Specifications | | |
|-------------------|--|--|
| Smart Features | Passage mode Anti-theft password | |
| | Audit trail Low power consumption | |
| | Smart freeze USB for battery backup | |
| | Google nest / alexa Privacy locking | |
| Password | 6-15 digit number combination | |
| Door Thickness | 35-65 mm | |
| Power | AA alkaline battery X 4 (DC 6V) | |
| Battery Life | Approx. 3500 open & close operations | |
| Types of Password | OTP Timed Permanent Cyclic Dynamic | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 30 Nos. |
| Password | Upto 30 Nos. |



For Remote operation (Bluetooth Model)





ORACLE

OZ-FDL-11-LIFE ≯

For Internal Doors Application: Wooden Doors



Works with









Finishes:








Disclaimer: The features may differ as per the product model.

*Applicable with Gateway






| Specifications | | |
|--|--|--|
| Passage mode Anti-theft password | | |
| Audit trail Low power consumption | | |
| Smart freeze USB for battery backup | | |
| Google assistant / alexa Privacy locking | | |
| 6-15 digit number combination | | |
| 35-65 mm | | |
| AA alkaline battery X 4 (DC 6V) | | |
| Approx. 3500 open & close operations | | |
| OTP Timed Permanent Cyclic Dynamic | | |
| | | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 30 Nos. |
| Password | Upto 30 Nos. |

For Remote operation (Bluetooth Model)







ORACLE

OZ-FDL-11-P-LIFE ANTIQUE BRONZE ≯

For Internal Doors Application: Wooden Doors



Works with






Finish:




DEAD BOLT



Disclaimer: The features may differ as per the product model.

*Applicable with Gateway

EZONE



| Smart Features | Suitable for swing door USB For battery backup Audit trail Low power consumption Anti-theft password Smart freeze Privacy locking Universal handle Auto secure Auto locking 360° Fingerprint recognition Passage mode |
|-------------------|---|
| Password | 6-15 digit number combination |
| Door Thickness | 35-50 mm for wooden |
| Power | AAA alkaline battery X 4 (DC 6V) |
| Battery Life | Approx. 3500 open & close operations |
| Handle Dimensions | 158*61*23 mm |
| Types of Password | Timed Permanent OTP Cyclic Dynamic |

| | Access Mo | odes | | | |
|------|--|------------------------|-----------------------|------------------|---|
| tup | | OOO OOO Password | OzoLife Mobile App | Emergency Key | |
| 360° | User Acce | ss Rights | | | |
| | Admin | User | Guest | | |
| | Alarms | | | | • |
| | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Ø | | | |
| | Low Battery | Auto Secure | | | |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 30 Nos. |
| Password | Upto 100 Nos. |

For Remote operation (Bluetooth Model)



OZ-LIFE-WB-11



TRINITY LOCK

OZ-FDL-22 LIFE **≯**) OZ-FDL-22-R-LIFE ≱₁

For Internal/External Doors Application: Suitable for Wooden & Metal doors




OzoLife App



Finish:

Black





EZONE

NARROW STYLE SERIES



Specifications

| Smart Features | Suitable for sliding door Passage mode Anti-theft password Audit trail Low power consumption Dual combination mode* Smart freeze USB for battery backup Privacy locking |
|-------------------|--|
| Password | 6-15 digit number combination |
| Door Thickness | 35-80 mm |
| Power | AAA alkaline battery X 4 (DC 6V) |
| Battery Life | Approx. 3500 open & close operations |
| Types of Password | Timed Permanent One Time Cyclic |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |

| Access M | odes | | | |
|----------------|-------------------|-----------------------|-----------|------------------|
| | 000 000 000 | Ozo | RFID | • |
| Fingerprint | Password | OzoLife Mobile App | RFID Card | Emergency Key |
| User Acce | | _ | | |
| | | ħ | | |
| Admin | User | Guest | | |
| Alarms | | | | • |
| \\\\\ | 0 | * | | |
| Low Battery | Auto Secure | Smart Freeze | | |

Connectivity

((O)) Wi-Fi Frequency 2.4Ghz Only



NARROW STYLE

OZ-FDL-33 LIFE SLN STD ₹


For Internal Doors


Application: Wooden Doors | Aluminium Doors




OzoLife App









Disclaimer: The features may differ as per the product model.

www.ozone.in

EZONE

NARROW STYLE SERIES



Specifications Smart Features suitable for both sliding & swing door | passage mode | anti-theft password audit trail | low power consumption | Dual combination mode* | smart freeze | usb for battery backup | privacy locking Password 6-15 digit number combination Door Thickness 35-80 mm Power AAA alkaline battery X 4 (DC 6V) Battery Life Approx. 3500 open & close operations Types of Password Timed | Permanent | One Time

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |



((o)) Wi-Fi Frequency 2.4Ghz Only



NARROW STYLE

OZ-FDL-33 LIFE SW STD ₹ OZ-FDL-33 LIFE SL STD ₹

For Internal Doors


Application: Wooden Doors | Metal Doors



OzoLife App







EZONE



RIM LOCK WITH 3D FACIAL RECOGNITION

OZ-DRL-LIFE FR BLACK 🤝


For External Doors


Application: Wooden Doors | Metal Doors




OzoLife App









PANEL BODY

LOCK BODY

STRIKE BOX

Disclaimer: The features may differ as per the product model.

www.ozone.in





| Smart Features | Auto secure alarm Anti-theft password |
|-------------------|--|
| | Audit trail Door engage alarm Smart |
| | freeze USB for battery backup Volume |
| | setting Auto locking Remotely unlock |
| | Voice guide operation Double sided |
| | fingerprint Passage mode |
| Password | 6-15 digit number combination |
| Door Thickness | 20-65 mm |
| Power | AA alkaline battery X 4 (DC 6V) |
| Battery Life | Approx. 3500 open & close operations |
| Types of Password | Timed Permanent |

| Access Modes | Registration |
|--------------|---------------|
| Fingerprint | Upto 100 Nos. |
| RFID Cards | Upto 100 Nos. |
| Password | Upto 100 Nos. |

| [@] | 000 | <u></u> | (F) | 9 |
|--|----------------|------------------------|--------------|------------------|
| <u></u> | ŏŏŏ | <u> </u> | 4 | 1 |
| Fingerprint | Password | OzoLife Mobile App | RFID Card | Emergency Key |
| User Acce | | | | |
| | •• | i. | | |
| A Ĭ | | ₩# | | |
| Admin | User | Guest | | |
| Alarms | | | | |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 0 | (O) | | |
| Low Battery | Auto Secure | Door Not Lock Alarm | | |





DOUBLE SIDED FINGERPRINT RIM LOCK

OZ-DRL-LIFE F2F **?**

For Internal & External Doors Application: Wooden Doors | Metal Doors Suitable for Double Door (Swing)





OzoLife App




Black









Front Panel

Back Panel


RFID Cards


Password

0

EZONE

RIM LOCK SERIES





Upto 100 Nos.

Upto 100 Nos.





Back Panel



CLEO SMART LOCK

OZ-DRL- LIFE STD BLACK €

OZ-DRL- LIFE STD AB ₹

OZ-DRL- LIFE STD FB ₹

For Internal Doors Application: Wooden Doors | Metal Doors



OzoLife App

Finishes:

Black





Antique Bronze Fully Black







Disclaimer: The features may differ as per the product model.


Front Panel

Strike Box

41

EZONE

RIM LOCK SERIES





ELECTRIC RIM LOCK


OZ-ERL01- R OZ-ERL01- L

For External/internal door
Application: Wooden Doors | Metal Doors



Stainless Steel





Disclaimer: This product is not supported by Ozolife App.


Types of Password:

EZONE

GLASS DOOR LOCK







| | Access Modes | Registration |
|--|--------------|---------------|
| | Fingerprint | Upto 200 Nos. |
| | RFID Cards | Upto 200 Nos. |
| | Password | Upto 200 Nos. |

Timed | Permanent

| Access Mo | odes | | | |
|-------------|-------------------|-----------------------|--------------|-----------------------------|
| | 000 000 000 | Ozo | | (i) |
| Fingerprint | Password | OzoLife Mobile App | RFID Card | Remote Unloci (Optional) |
| User Acce | ss Rights | | | |
| | •• | ∳ ⊾ | | |
| | | ## | | |
| Admin | User | Guest | | |
| Alarms | | | | |
| <u> </u> | ٦ ﴿ | | | |
| | <u> </u> | \mathbf{v} | , | |
| Low | Wrong | Auto | | |
| Battery | Password A | lert Secui | re | |
| Features | | | | |
| 「 <u></u> | (L)) | 1 | | |
| ر ا | L . | | | |
| Doorbell | Cut-Out f | | | |



Wi-Fi Frequency 2.4Ghz Only









GLASS DOOR LOCK

OZ-FGL-LIFE-G2G **☞** OZ-FGL-LIFE-G2W **?** OZ-FGL-LIFE-WD **?**

For Internal Doors

Application: Glass-to-Glass Doors | Glass-to-Wall Wooden Swing | Sliding door



OzoLife App

Finish:



Black



€ 0 **#**

SMART LOCKS

OPTIONAL LOCK ACCESSORIES

OZ-FDL-02 LIFE NXT-I RG /BLACK-ACC-BAT



OZ-DRL-LIFE FR BLACK-ACC-BAT



OZ-FDL-02-LIFE-NXT PLUS-i AC / **BLACK-ACC-BAT** OZ-IRIS-11-LIFE PLUS STD RG-ACC-BAT **OZ-FDL-01 LIFE NXT PLUS-ACC-BAT**



GLASS DOOR LOCK REMOTE OZ-FGL-LIFE-ACC-REMOTE



GATEWAY OZ-GATEWAY-11 FOR OZOLOK PRODUCTS

OZ-LIFE-WB-11 FOR OZOLIFE PRODUCTS



RFID CARD OZEL-RF222/333-Card V10 White




RFID CARD OZ-FDL-01/02 Life-ACC-RF CARD STD



OZ-FDL-01 LIFE NXT PLUS-ACC-RFID



CLOUD-BASED SMART LOCK



47 46









Furniture Locks

- Password, Fingerprint & Key Lock
- RFID Card, Fingerprint & Password Lock

A Keyless way to Secure Your Valuables

Not only doors, but we also offer a range of Digital Furniture Locks that can be operated via password, biometric, fingerprint, or both, eliminating the need to carry a bunch of keys everywhere.

You can access these locks using your finger. These locks can be installed in all hinged and pull-out drawers.

Additionally, they can be operated via biometric, RFID card or a simple password or a hassle-free mode of access on the go.

48 www.ozone.in www.ozone.in 49

EZONE

PASSWORD & KEY LOCK



OZFL-301V-PK

Password & Key Lock
For Wooden / Metal Cabinets & Wardrobes
Door Thickness: 1-18mm



FURNITURE LOCKS


Master Password




User Password



Emergency Key





EZONE


3

5

2

4

PASSWORD & KEY LOCK



OZFL-301H-PK

Password & Key Lock For Wooden / Metal Cabinets & Wardrobes Door Thickness: 1-18mm




Master Password



User Password




Emergency Key



50 www.ozone.in www.ozone.in 51

EZONE



OZFL-201-PW

FURNITURE LOCKS

Password Lock For Wooden / Metal Cabinets & Wardrobes Door Thickness: 1-25mm






Master Password

User Password







PASSWORD & FINGERPRINT LOCK



OZFL-203-PF

Password & Fingerprint Lock
For Wooden / Metal Cabinets & Wardrobes
Door Thickness: 1-25mm



Fingerprint




User Password





Master Password

















RFID CARD LOCK



OZFL-202-RF


FURNITURE LOCKS

RFID Card Lock
For Wooden / Metal Cabinets & Wardrobes
Door Thickness: 1-25mm



RFID Card





PASSWORD LOCK





OZFL-401-PW

Password Lock for Single or Multiple Metal / Wooden Drawers for Swing & Sliding Metal & Wooden Cabinets & Wardrobes Door Thickness: 1-25mm




Master Password



User Password





FINGERPRINT LOCK



OZFL-402-F


Fingerprint Lock for Single or Multiple Metal / Wooden Drawers for Swing & Sliding Metal & Wooden Cabinets & Wardrobes

Door Thickness: 1-25mm









RFID LOCK





OZFL-403-RF


RFID Lock

for Single or Multiple Metal / Wooden Drawers for Swing & Sliding Metal & Wooden, Cabinets & Wardrobes Door Thickness: 1-25mm

RFID


RFID Card





FURNITURE LOCKS

FINGERPRINT LOCK



OZFL-55F BLACK










Finishes:




Bronze











OZFL-88 P BLACK

Password Lock for Wooden Cabinets, Wardrobes, & Drawers Door Thickness: 12-25mm



Master Password




User Password






EZONE



RFID LOCK



OZFL-RF-INV STD BLACK

Invisible Lock

FURNITURE LOCKS

Suitable for Swing & Slide Wooden Cabinets, Wardrobes, & Drawers


Door Thickness: 05-25mm

1 master and 14 users card



RFID Card







60 www.ozone.in www.ozone.in





SMART DEVICES

SMART DEVICES The eye that will never blink.

16:18 2022-01-01

€ Carnera 2

R.

Al home

Make life easier with smart devices that handle the hard work for you! Stay connected and enjoy the convenience of technology designed to simplify your day and add a touch of ease to your routine

- Video Door Phone
- Smart Video Door Bell


62 www.ozone.in www.ozone.in 63


SMART DEVICES



VM-AHD-7263-01

Video Door Phone Indoor Unit for Multi Apartments







Smart Features

SMART DEVICES



D

Snapshot Video

SD Card

128 GB







Custom Ringtones

Photo Frame

Feather Touch Button



Open 3 Locks

Remote Unlock











2 Doorbells + 2 Cameras






((0))Wi-Fi Frequency 2.4Ghz Only





EZONE

VIDEO DOOR PHONE OUTDOOR UNIT (APP BASED)



VB-AHD-2M4C-01

Outdoor Unit for Multi Apartments Finish: BLACK

Smart Features



٩

六

Motion

Detection

L**3**

RFID 1

RFID Card Unlock Function (Optional)



0

2.8mm Lens



Communication

Exit Button

Function




Day/Night



Connects upto

4 Floor





EZONE

For Remote Operation

VDP + OZ-ERL01-R/L = Remotely Unlock Through App


SMART DEVICES

EZONE



VM-AHD-7263-02

Video Door Phone Indoor Unitfor Single Apartment





Smart Features

SMART DEVICES



D

Snapshot Video

Feather Touch Button

Photo Frame



2 Way

Communication





2.4Ghz Only

Custom Ringtones


Remote Unlock

SD Card 128 GB





VIDEO DOOR PHONE OUTDOOR UNIT (APP BASED)



VB-AHD-2M4C-02

Outdoor Unit for Single Apartment





1080P

Motion



IP 65 Weather

Proof

0

2.8mm Lens




Function (Optional)



2 Way



RFID RFID Card Unlock



DZONE

For Remote Operation

VDP + OZ-ERL01-R/L = Remotely Unlock Through App


SMART DEVICES





OZ-VDP ECO-03

Video Door Phone Indoor Unit & Outdoor Unit for Single Apartment







Smart Features

SMART DEVICES






Feather Touch Button







VIDEO DOOR PHONE OUTDOOR UNIT



Smart Features



600

TVL



Proof



Communication








EZONE

2.8mm Lens

0

For Remote Operation

VDP + OZ-ERL01-R/L = Unlock Door Through VDP



SMART DOOR BELL



SMART DOOR BELL

OZ-LIFE-WDB-01








Works with Works Google Assistant Alex





SMART DEVICES







SAFES

- Fire Resistant Safes Series
- Fire Resistant Notify Safes
- Home & Office Safes
- Anti-Burglary Tool Resistant Safes
- Anti-burglary Smart Safe
- Anti-burglary Fire & Tool Resistant Safe
- Hotel Safes


A Secure Twist to Traditional Lock & Key

From Safes that fit in your closet to Safes that stand tall against perpetrators. We have it all.

Our extensive collection of Digital Safes can be operated with combinations of User Password, Fingerprints, a user-friendly App, and a key for emergencies. The range ensures optimum safety & security of all valuables – be it at home, office, hotel, retail, and other commercial establishments at any given time.

FIRE RESISTANT SAFES SERIES

Fire Warrior-FP-11





| r | - | | | |
|---|---|----|--|--|
| | | | | |
| | | ŧ. | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



APPLICATION











- Digital keypad with LCD Screen
- 4-8 Digit User Password
- Can Register Up to 80 Fingerprint
- Emergency key
- Low Battery indicator
- External Battery Backup Option Available
- Keypad automatically locks for 210 seconds after five consecutive wrong password and finger attempts
- · Audio visual alarm.
- Keypad sound on/off option.
- The alarm is activated when the wrong code is entered three times
- Audio visual alarm
- Internal LED light
- Fire resistant safe up to 1100° C temperature for 1 hour

www.ozone.in

FIRE RESISTANT SAFES SERIES

Fire Warrior-FP-55







Fire-Resistant Fingerprint







Size (mm) (H) 595 x (W) 460 x (D) 470 (With Wheels) (H) 23.43 x (W) 18.11 x (D) 18.50 Size (inch) Weight (Kg) 76 (Approx.) Volume (Ltr.) Accessories 1 Adjustable Shelf

APPLICATION








Key Features:

- Digital keypad with LCD Screen.
- 3-8 Digit User Password.
- Can Register Up to 80 Fingerprint.
- Emergency key
- Low Battery indicator
- External Battery Backup Option Available
- Keypad automatically locks for 210 seconds after five consecutive wrong password and finger attempts.
- · Audio visual alarm.
- · Keypad sound on/off option.
- The door closes automatically as soon as you close the door.
- Password Hiding.
- Internal LED light.
- Fire resistant safe up to 1100° C temperature for 1 hour.

Anti-Theft

FIRE RESISTANT SAFES SERIES

Fire Warrior-FP-77












Anti-Theft









APPLICATION









Key Features:

- Digital keypad with LCD Screen.
- 3-8 Digit User Password.
- Can Register Up to 80 Fingerprint.
- Emergency key
- Low Battery indicator
- External Battery Backup Option Available
- Keypad automatically locks for 210 seconds after five consecutive wrong password and finger attempts.
- · Audio visual alarm.
- · Keypad sound on/off option.
- The door closes automatically as soon as you close the door.
- · Password Hiding.
- Internal LED light.
- Fire resistant safe up to 1100° C temperature for 1 hour.

FIRE RESISTANT SAFES SERIES

Fire Warrior-99 (with wheel 220kg)









Anti-Theft



Dual Combination Access

| Size (mm) | (H) 985 x (W) 600 x (D) 570 |
|---------------|--------------------------------------|
| Size (inch) | (H) 38.78 x (W) 23.62 x (D) 22.44 |
| Weight (Kg) | 220 (Approx.) |
| Volume (Ltr.) | 145 |
| Accessories | 1 Adjustable Shelf & 1 Drawer Inside |

APPLICATION







- Digital keypad with LCD Screen
- User Access: 4 to 8 Digit Password
- Dual Password Option: User & Master
- Works on a combination of Password & Key for added security
- Computerised Key
- · Low-Battery Indicator
- External battery back-up option
- Auto-Freeze after 3 consecutive wrong password attempts followed by keypad inactivity and a 60 second beep sound
- Can access the last 14 opening records in the display screen



FIRE RESISTANT SAFES SERIES

Fire Warrior-1200











Dual Combination Access



APPLICATION










Key Features:

- Digital keypad with LED Screen
- User Access: 4 to 8 Digits Password
- Dual Password Option: User & Master
- Works on a combination of Password & Key for added security
- Computerised Key
- · Low-Battery Indicator
- Auto-Freeze mode on 3 consecutive wrong Password attempts resulting into keypad inactivity for 5 minutes

FIRE RESISTANT NOTIFY SAFES

Fire Warrior-99 N Series







SMS

Anti-Theft



Dual Combination

Size (mm) (H) 985 x (W) 600 x (D) 570 (H) 38.78 x (W) 23.62 x (D) 22.44 Size (inch) 220 (Approx.) Weight (Kg) Volume (Ltr.) Accessories 1 Adjusable Shelf & 1 Drawer Inside

APPLICATION








Key Features:

- Notify module inside the safe for added safety
- SMS Alert to 7 predefined mobile numbers
- Special fireproof material (cellulose concrete) ensures the inner temperature remains less than 118 C, while exposed in 1030 C flame for up to one hour
- User Access: Combination of User Password & Manual key
- Emergency override key
- Strong Steel Shooting Bolts
- Unique Notify GSM module
- · Vibration sensor to detect break-in/tempering
- Wireless Hooter that can be kept away from the Safe



HOME & OFFICE SAFES

The Hawk Safe





| Size (mm) | (H) 725 x (W) 468 x (D) 399 |
|--------------------|--------------------------------|
| Size (inch) | (H) 28.5 x (W) 18.4 x (D) 15.7 |
| Weight (Kg) | 97 (Approx.) |
| Volume (Ltr.) | 90 |
| Jewellery Tray | 2 |
| Hidden Compartment | 1 |

APPLICATION







Unique Selling Points:

- · Luxury leather interior
- Jewellery tray storage
- 4 watch winder
- Hidden bottom space
- Tool resistant

Digit Password









Dual Combination

HOME & OFFICE SAFES

Bio Vault Life-16 Black







Fingerprint











App



Digit Password

LED Light



| Size (mm) | (H) 250 x (W) 350 x (D) 250 |
|---------------|---------------------------------|
| Size (inch) | (H) 9.84 x (W) 13.78 x (D) 9.84 |
| Weight (Kg) | 9.5 (Approx.) |
| Volume (Ltr.) | 16 |
| Shelf | 1 |

APPLICATION







- Digital keypad with touch screen panel.
- Access mode: user + master password.
- User Access: Combination of Fingerprint & Password 4 to 8 digits Password, Fingerprint.
- Emergency key available, in case the user forgot the password
- Register up to 30 Fingerprints.
- External Battery Backup Option Available.
- Internal LED light option available.
- Heavy duty motorized Shooting bolts.
- Audit-trail option.
- Mobile App connected Safe (WiFi).
- Unlock via mobile app from anywhere on request.

HOME & OFFICE SAFES

Bio Vault Life-30 Black



























(H) 320 x (W) 400 x (D) 320 Size (mm) (H) 12.6 x (W) 15.75 x (D) 12.6 Size (inch) 13.5 (Approx.) Weight (Kg) 30 Volume (Ltr.) Shelf

APPLICATION







Key Features:

- · Digital keypad with touch screen panel.
- Access mode: user + master password.
- User Access: Combination of Fingerprint & Password 4 to 8 digits Password, Fingerprint.
- Emergency key available, in case the user forgot the password
- Register up to 30 Fingerprints.
- External Battery Backup Option Available.
- Internal LED light option available.
- Heavy duty motorized Shooting bolts.
- · Audit-trail option.
- Mobile App connected Safe (WiFi).
- Unlock via mobile app from anywhere on request.

HOME & OFFICE SAFES

Bio Vault Life-40 Black



Size (mm)

Size (inch)

Weight (Kg)

Volume (Ltr.)

APPLICATION

Shelf





Fingerprint













Screen Panel

Digit Password



Emergency

• User Access: Combination of Fingerprint & Password 4 to 8 digits Password, Fingerprint.

Key Features:

• Emergency key available, in case the user forgot the password

• Digital keypad with touch screen panel.

• Access mode: user + master password.

(H) 420 x (W) 350 x (D) 360

20 (Approx.)

40

(H) 16.6 x (W) 13.78 x (D) 14.17

- Register up to 30 Fingerprints.
- External Battery Backup Option Available.
- Internal LED light option available.
- Heavy duty motorized Shooting bolts.
- · Audit-trail option.
- Mobile App connected Safe (WiFi).
- Unlock via mobile app from anywhere on request.

HOME & OFFICE SAFES

Bio Vault Life-55 Black







Audit











OzoLife

Digit Password

 \rightleftharpoons

Emergency



| Size (mm) | (H) 555 x (W) 350 x (D) 360 |
|---------------|---------------------------------|
| Size (inch) | (H) 21.9 x (W) 13.78 x (D) 14.2 |
| Weight (Kg) | 24.7 (Approx.) |
| Volume (Ltr.) | 55 |
| Shelf | 1 |

APPLICATION







Key Features:

- · Digital keypad with touch screen panel.
- Access mode: user + master password.
- User Access: Combination of Fingerprint & Password 4 to 8 digits Password, Fingerprint.
- Emergency key available, in case the user forgot the password
- Register up to 30 Fingerprints.
- External Battery Backup Option Available.
- Internal LED light option available.
- Heavy duty motorized Shooting bolts.
- · Audit-trail option.
- Mobile App connected Safe (WiFi).
- Unlock via mobile app from anywhere on request.

www.ozone.in

HOME & OFFICE SAFES

Safilo Digital-11












Auto Freeze



LED Display Emergency Key



APPLICATION





Key Features:


- Digital keypad with LED screen
- User access with 3 to 6 Digits password

- Dual Password Option: User & Master
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Emergency Key available
- Heavy duty motorised Shooting Bolts
- Low-Battery Indicator
- External Battery Back-up option available
- Internal LED Light for clear visibility inside the Safe

HOME & OFFICE SAFES

Safilo Digital-1







86








LED Display





APPLICATION







Key Features:

- Digital keypad with LED screen
- User access with 3 to 6 Digits password
- Dual Password Option: User & Master
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Emergency Key available
- Heavy duty motorised Shooting Bolts
- Low-Battery Indicator
- External Battery Back-up option available
- Internal LED Light for clear visibility inside the Safe

HOME & OFFICE SAFES

Safilo Digital-2










Auto Freeze







Emergency Key



APPLICATION







Key Features:


- Digital keypad with LED screen
- User access with 3 to 6 Digits password
- Dual Password Option: User & Master
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Emergency Key available
- Heavy duty motorised Shooting Bolts
- Low-Battery Indicator
- External Battery Back-up option available
- Internal LED Light for clear visibility inside the Safe



Password

HOME & OFFICE SAFES

Safilo BIO-Z Max

























with Password & Fingerprint



| Size (mm) | (H) 420 x (W) 350 x (D) 360 |
|---------------|-----------------------------------|
| Size (inch) | (H) 16.53 x (W) 13.78 x (D) 14.17 |
| Weight (Kg) | 18.1 (Approx.) |
| Volume (Ltr.) | 44.1 |
| Shelf | 1 |

APPLICATION







Key Features:


- Digital keypad with LED screen
- User Access Modes-
- a) Combination of Fingerprint & Password
- b) 4 to 8 digits Password
- c) Fingerprint
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Emergency Key available
- Register up to 30 fingerprints
- External battery power input option available
- Surface Finish: Scratch-resistant powder coating

HOME & OFFICE SAFES

Safilo BIO-Z Pro









Password

Combination

with Password

& Fingerprint



Auto Freeze





LED Display



Emergency



Key Features:

Office

• Digital keypad with LED screen

b) 4 to 8 digits Password

- · User Access Modes-
- a) Combination of Fingerprint & Password
- c) Fingerprint

Size (mm)

Size (inch) Weight (Kg)

Volume (Ltr.)

APPLICATION

• Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes

(H) 250 x (W) 455 x (D) 375 (H) 9.84 x (W) 17.91 x (D) 14.76

12.4 (Approx.)

34.94

- · Emergency Key available
- Register up to 30 fingerprints
- External battery power input option available
- Surface Finish: Scratch-resistant powder coating



HOME & OFFICE SAFES

Castle-20
















APPLICATION







Key Features:


- Digital keypad with touch Screen panel
- Dual Password option : User + Master
- User Access Modes: 4 to 8 digits Password
- Emergency Key available
- Keypad auto freezes (ALARM) after Three consecutive wrong password attempts.)

www.ozone.in

- External Battery Back-up option available
- Internal LED Light for clear visibility inside the Safe
- · Low-Battery indicator

HOME & OFFICE SAFES

Castle-30







Password



Auto Freeze



Touch Screen





| Size (mm) | (H) 320 x (W) 400 x (D) 320 |
|---------------|---------------------------------|
| Size (inch) | (H) 12.6 x (W) 15.74 x (D) 12.6 |
| Weight (Kg) | 14 (Approx.) |
| Volume (Ltr.) | 30 |
| Shelf | 1 |

APPLICATION







- Digital keypad with touch Screen panel
- Dual Password option : User + Master
- User Access Modes: 4 to 8 digits Password
- Emergency Key available
- Keypad auto freezes (ALARM) after Three consecutive wrong password attempts.)
- External Battery Back-up option available
- Internal LED Light for clear visibility inside the Safe
- · Low-Battery indicator

HOME & OFFICE SAFES

OES BAS-i10





| Size (mm) | (H) 200 x (W) 300 x (D) 200 |
|---------------|--------------------------------|
| Size (inch) | (H) 7.87 x (W) 11.8 x (D) 7.87 |
| Weight (Kg) | 5.15 (Approx.) |
| Volume (Ltr.) | 7.9 |

APPLICATION







Key Features:

- Digital keypad with LED light option
- User access with 3 to 8 Digits password
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 3 minutes
- Emergency Key available
- Low-Battery Indicator
- Surface Finish: Scratch-resistant powder coating

HOME & OFFICE SAFES

OES BAS-20 Ivory







Password

Auto Freeze

| Size (mm) | (H) 250 x (W) 350 x (D) 250 |
|---------------|---------------------------------|
| Size (inch) | (H) 9.84 X (W) 13.78 X (D) 9.84 |
| Weight (Kg) | 9.5 (Approx.) |
| Volume (Ltr.) | 16.11 |
| Shelf | 1 |

APPLICATION







- Digital keypad with LED light option
- User access with 3 to 8 Digits password
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 3 minutes

- Emergency Key available
- Low-Battery Indicator
- Surface Finish: Scratch-resistant powder coating











HOME & OFFICE SAFES

Agate Black











Emergency



APPLICATION







Key Features:

- Digital keypad with LED light
- User access with 3 to 8 Digits password
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 3 minutes
- Emergency Key available
- Low-Battery Indicator
- Surface Finish: Scratch-resistant powder coating



Password

Auto Freeze

HOME & OFFICE SAFES

Agate Laptop



| Size (mm) | (H) 200 x (W) 430 x (D) 380 |
|---------------|----------------------------------|
| Size (inch) | (H) 7.87 x (W) 16.93 x (D) 14.96 |
| Weight (Kg) | 10.7 (Approx.) |
| Volume (Ltr.) | 26.4 |

APPLICATION

Emergency Key







Key Features:

- Digital keypad with LED light
- User access with 3 to 8 Digits password
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 3 minutes

95

- Emergency Key available
- Low-Battery Indicator
- Common Key option available on request
- External Battery Back-up option

Color Available:





SAFES

HOME & OFFICE SAFES

Tusker-10





| Size (mm) | (H) 200 x (W) 350 x (D) 200 |
|---------------|---------------------------------|
| Size (inch) | (H) 7.87 x (W) 13.78 x (D) 7.87 |
| Weight (Kg) | 5.9 (Approx.) |
| Volume (Ltr.) | 9.2 |
| Volume (Lii.) | 9.2 |

APPLICATION









- Digital keypad with LCD Display
- User access with 3 to 8 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong Password attempts resulting into keypad inactivity for 60 seconds

www.ozone.in

Color Available:





Lifestyle Video

96

Auto Freeze

LCD Display

Black

Grey

HOME & OFFICE SAFES

Tusker-11





Auto Freeze

Password

LCD Display

| Size (mm) | (H) 250 x (W) 350 x (D) 250 |
|---------------|---------------------------------|
| Size (inch) | (H) 9.84 x (W) 13.78 x (D) 9.84 |
| Weight (Kg) | 9.5 (Approx.) |
| Volume (Ltr.) | 16 |
| Shelf | 1 |

APPLICATION





Key Features:

- Digital keypad with LCD Display
- User access with 3 to 8 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 60 seconds

Color Available:



Emergency Key



k Grey

•

HOME & OFFICE SAFES

Tusker-22





Auto Freeze

LCD Display

| Size (mm) | (H) 200 x (W) 430 x (D) 380 |
|---------------|----------------------------------|
| Size (inch) | (H) 7.87 x (W) 16.92 x (D) 14.96 |
| Weight (Kg) | 11 (Approx.) |
| Volume (Ltr.) | 26.3 |

APPLICATION







- Digital keypad with LCD Display
- User access with 3 to 8 Digits password

- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for

Color Available:

60 seconds





llack Gre

HOME & OFFICE SAFES


Tusker-44





Auto Freeze

LCD Display



(H) 350 x (W) 450 x (D) 355

APPLICATION

Size (mm)







- Digital keypad with LCD Display
- User access with 3 to 8 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 60 seconds

Color Available:



Emergency Key



k Grey

HOME & OFFICE SAFES

Tusker-NXT















LCD Display

Emergency



| Size (mm) | (H) 250 x (W) 455 x (D) 375 |
|---------------|----------------------------------|
| Size (inch) | (H) 9.84 x (W) 17.91 x (D) 14.76 |
| Weight (Kg) | 12.4 (Approx.) |
| Volume (Ltr.) | 34.94 |

APPLICATION








Key Features:

- Digital keypad with LCD Display
- User access with 3 to 8 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 60 seconds

HOME & OFFICE SAFES

ECO-BB-77-GREY









Auto Freeze LCD Display



| Size (mm) | (H) 650 x (W) 440 x (D) 405 |
|---------------|-----------------------------------|
| Size (inch) | (H) 25.59 x (W) 17.32 x (D) 15.94 |
| Weight (Kg) | 34.7 (Approx.) |
| Volume (Ltr.) | 95.4 |
| Shelf | 2 |

APPLICATION







Key Features:

- Digital keypad with LCD Display
- User access with 3 to 8 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Auto-Freeze mode on 3 consecutive wrong password attempts resulting into keypad inactivity for 60 seconds

Color Available:





Grey

HOME & OFFICE SAFES

Convenio Digital -33*





Password Auto Freeze LED Display RFID Card Emergency

| Size (mm) | (H) 127 x (W) 400 x (D) 350 |
|---------------|----------------------------------|
| Size (inch) | (H) 5.11 x (W) 15.75 x (D) 13.77 |
| Weight (Kg) | 11.2 (Approx.) |
| Volume (Ltr.) | 10 |

APPLICATION










- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Dual Password Option: User & Master
- Emergency Key available
- Heavy duty motorised Shooting Bolts
- · Low-Battery Indicator
- Common Key option available on request
- External Battery Back-up option
- Audit Trail option available to check the past 100 opening record at an additional cost
- · Available with RFID card access

HOME & OFFICE SAFES

Convenio Manual-10





| Size (mm) | (H) 200 X (W) 350 X (D) 200 |
|---------------|---------------------------------|
| Size (inch) | (H) 7.87 X (W) 13.78 X (D) 7.87 |
| Weight (Kg) | 5.9 (Approx.) |
| Volume (Ltr.) | 10 |

APPLICATION







Key Features:

- Manual 6 Lever Locking system
- Heavy duty shooting bolts
- Comes with two Solid Stainless Steel keys



Mariual Ne




www.ozone.in



HOME & OFFICE SAFES

Convenio Manual-11





| Size (mm) | (H) 250 x (W) 350 x (D) 250 |
|---------------|---------------------------------|
| Size (inch) | (H) 9.84 x (W) 13.78 x (D) 9.84 |
| Weight (Kg) | 9 (Approx.) |
| Volume (Ltr.) | 15.5 |
| Shelf | 1 |

APPLICATION







Key Features:

- Manual 6 Lever Locking system
- Heavy duty shooting bolts
- Comes with two Solid Stainless Steel keys







Manual Key

HOME & OFFICE SAFES

Convenio Manual-11S





APPLICATION








- Manual 6 Lever Locking system
- Heavy duty shooting bolts
- Comes with two Solid Stainless Steel keys

HOME & OFFICE SAFES

Convenio Manual-12





| Size (mm) | (H) 555 x (W) 350 x (D) 360 |
|---------------|-----------------------------------|
| Size (inch) | (H) 21.85 x (W) 13.78 x (D) 14.17 |
| Weight (Kg) | 24.7 (Approx.) |
| Volume (Ltr.) | 55 |
| Shelf | 1 |

APPLICATION









Key Features:

- Manual 6 Lever Locking system
- Dual combination key system
- Heavy duty shooting bolts
- · Comes with two Solid Stainless Steel keys







HOME & OFFICE SAFES

Convenio Manual-DD 13









| Size (mm) | (H) 700 x (W) 460 x (D) 460 |
|---------------|-----------------------------------|
| Size (inch) | (H) 27.56 x (W) 18.11 x (D) 18.11 |
| Weight (Kg) | 45 (Approx.) |
| Volume (Ltr.) | 92 |
| Drawers | 2 |

APPLICATION








- Manual 6 Lever Locking system
- Heavy duty shooting bolts
- Comes with six Solid Stainless Steel keys
- Cash Drawer with separate key lock
- Money Deposit Drawer with separate key lock
- Strong construction: Heavy-Duty steel body with improved reliability for added protection

HOME & OFFICE SAFES

Guardian Manual-11














APPLICATION








Office Lo

Key Features:

- Dual combination key system
- Innovative 3 side moulded body design with 5 mm door thickness
- Two Heavy-Duty SS Shooting Stainless Bolts
- Aesthetic Stainless Steel vault handle
- 5 Spoke handle available
- Superior 6 lever locking mechanism
- Double compartment customization available

HOME & OFFICE SAFES

Guardian Manual-12











 Size (mm)
 (H) 424 x (W) 460 x (D) 407

 Size (inch)
 (H) 16.69 x (W) 18.11 x (D) 16

 Weight (Kg)
 34 (Approx.)

 Volume (Ltr.)
 69

 Shelf
 1

APPLICATION







- Dual combination key system
- Innovative 3 side moulded body design with 5 mm door thickness
- Two Heavy-Duty SS Shooting Stainless Bolts
- Aesthetic Stainless Steel vault handle
- 5 Spoke handle available
- Superior 6 lever locking mechanism
- Double compartment customization available



HOME & OFFICE SAFES

Ezee Black





Auto Freeze

| Size (mm) | (H) 60 x (W) 190 x (D) 275 |
|---------------|--------------------------------|
| Size (inch) | (H) 2.36 x (W) 7.4 x (D) 11.02 |
| Weight (Kg) | 1.75 (Approx.) |
| Volume (Ltr.) | 2.28 |

APPLICATION







Key Features:

- Digital keypad with touch screen
- User access with 4 to 15 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Surface Finish: Scratch-resistant powder coating

HOME & OFFICE SAFES

Ezee+





| Size (mm) | (H) 80 x (W) 280x (D) 350 |
|---------------|---------------------------------|
| Size (inch) | (H) 3.14 x (W) 11.20 x (D) 13.9 |
| Weight (Kg) | 3 (Approx.) |
| Volume (Ltr.) | 5.28 |

APPLICATION







Key Features:

- Digital keypad with touch screen
- User access with 4 to 15 Digits password
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- External Battery Back-up option
- Surface Finish: Scratch-resistant powder coating



Password

Auto Freeze

Lifestyle Vide

SAFES

ANTI-BURGLARY TOOL RESISTANT SAFE

Fort Safe AB-66





| Size (mm) | (H) 555 x (W) 460 x (D) 360 |
|---------------|-----------------------------------|
| Size (inch) | (H) 21.85 x (W) 18.11 x (D) 14.17 |
| Weight (Kg) | 64.3 (Approx.) |
| Volume (Ltr.) | 78 |
| Shelf | 1 |

APPLICATION







Key Features:

- Dual Key Combination Mechanical lock.
- Innovative 3 side molded body design with 8 mm door thickness.
- 5 mm Steel plate on the door for additional security features.
- 25mm Two Heavy Duty Multi Channel SS shooting Bolt.
- · Aesthetic Stainless Steel vault handle.
- Superior 6 lever locking mechanism technology.
- Double compartment as per customized use.
- Finish: Black matt with anti-corrosion surface treatment

ANTI-BURGLARY TOOL RESISTANT SAFE

Fort Safe AB DIGI-66 Black





| Size (mm) | (H) 555 X (W) 460 X (D) 360 |
|---------------|-----------------------------------|
| Size (inch) | (H) 21.85 X (W) 18.11 X (D) 14.17 |
| Weight (Kg) | 64.4 (Approx.) |
| Volume (Ltr.) | 78 |
| Shelf | 1 |

APPLICATION







- Digital keypad with LED light option
- Dual Password (User + Master)
- User access: 4 to 8 digits password
- Low Battery indication
- Emergency key to open the safe in case you forget the user & master password

Logistic

- Keypad auto freezes while entering wrong password three
- Five spoke handle available to open and close the door
- Special fature:- Anti-burglary and tool resistance















ANTI-BURGLARY SMART SAFE

Fort Safe AB BIO Life-78 Black







0

Auto Freeze









Remote Location Unlock (Option)





Wi-Fi

Connected Safe


















APPLICATION







Key Features:

- Digital keypad with Touch Screen Panel.
- 3-8 Digit Password.
- · Access Mode Option- Password & fingerprint. Emergency Key available
- · Low Battery Indicator
- Emergency key
- Fingerprint reader up to 100 Fingerprints to register
- · Audit trail option.
- Keypad auto-freeze for 5 minutes after 3 consecutive wrong password attempts.
- Mobile App connected Safe (WIFI).
- Unlock via mobile app from anywhere on request.

ANTI-BURGLARY FIRE & TOOL RESISTANT SAFE

Fort Safe AB-88







www.ozone.in



Auto Freeze





5 Spoke

(H) 740 X (W) 536 X (D) 611 Size (mm) Size (inch) (H) 29.13 X (W) 21.10 X (D) 24 Weight (Kg) 270 (Approx.) Volume (Ltr.) 67 Shelf 1

APPLICATION





- Digital keypad with LED light option
- Double walled body construction
- Dual Password (User + Master)
- User access: 4 to 8 digits password
- Low Battery indication
- Emergency key to open the safe in case you forget the user & master password.
- · A cash depository drawer is available in the upper part of the locker, from where cash can be deposited directly
- Keypad auto freezes while entering wrong password three times
- Five spoke handle available to open and close the door
- Special feature:- Anti-burglary and tool resistance
- · Decode when forgot the password.
- TRTL tested 30 minutes (30*6)
- Fire resistance up to 1200 degree 1 and half hours.
- Under BIS certified

HOTEL SAFES SERIES

O-Squire





| Size (mm) | (H) 200 x (W) 350 x (D) 200 |
|---------------|---------------------------------|
| Size (inch) | (H) 7.87 x (W) 13.78 x (D) 7.87 |
| Weight (Kg) | 5.9 (Approx.) |
| Volume (Ltr.) | 9 |
| | |

APPLICATION









- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 15 minutes
- Emergency Key available
- Low-Battery Indicator
- Common Key option available on request
- External Battery Back-up option
- Audit Trail option available to check the past 100 opening record at an additional cost

HOTEL SAFES SERIES

O-Laptop





Auto Freeze

LED Display

Emergency

| Size (mm) | (H) 200 x (W) 430 x (D) 380 |
|---------------|----------------------------------|
| Size (inch) | (H) 7.87 x (W) 16.93 x (D) 14.96 |
| Weight (Kg) | 11 (Approx.) |
| Volume (Ltr.) | 26.7 |

APPLICATION







Key Features:

- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 15 minutes
- Emergency Key available
- Low-Battery Indicator
- Common Key option available on request
- External Battery Back-up option
- Audit Trail option available to check the past 100 opening record at an additional cost

















116 www.ozone.in www.ozone.in 117

HOTEL SAFES SERIES

Aries





| _ | | | |
|---|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



Size (mm)

Size (inch) Weight (Kg)

Volume (Ltr.)

Shelf





9.2 (Approx.)

15.9



(H) 250 x (W) 350 x (D) 250 (H) 9.84 x (W) 13.78 x (D) 9.84



- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 15 minutes
- Emergency Key available
- Low-Battery Indicator
- · Common Key option available on request
- External Battery Back-up option
- Audit Trail option available to check the past 100 opening record at an additional cost

HOTEL SAFES SERIES

Jade Black-01





Password Auto Freeze LED Display RFID Card Emergency

| Size (mm) | (H) 200 x (W) 350 x (D) 200 |
|---------------|---------------------------------|
| Size (inch) | (H) 7.87 x (W) 13.78 x (D) 7.87 |
| Weight (Kg) | 6.4 (Approx.) |
| Volume (Ltr.) | 9.8 |

APPLICATION







- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- Common Key option available on request
- Heavy duty motorised Shooting Bolts
- Audit Trail option available to check the past 100 opening record at an additional cost
- · Available with RFID card access



















HOTEL SAFES SERIES

Jade Black





| Size (mm) | (H) 200 x (W) 435 x (D) 365 |
|---------------|----------------------------------|
| Size (inch) | (H) 7.87 x (W) 17.13 x (D) 14.37 |
| Weight (Kg) | 12.6 (Approx.) |
| Volume (Ltr.) | 26 |

APPLICATION







- Digital keypad with LED Screen
- User access with 3 to 6 Digits password
- Auto-Freeze mode on 4 consecutive wrong password attempts resulting into keypad inactivity for 5 minutes
- Dual Password Option: User & Master
- Emergency Key available
- Low-Battery Indicator
- Common Key option available on request
- Heavy duty motorised Shooting Bolts
- Audit Trail option available to check the past 100 opening record at an additional cost
- Available with RFID card access









| _ | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Dubai, UAE

OZONE MEA TRADING LLC Office no 129, Al Uruba Business center, garhoud views building, mezzanine floor (M1-3) Al Garhoud, PO Box 430704, Dubai UAE.

For Security Solutions:

Gurugram*

#548 Udyog Vihar, Phase 5, Sector 19, Gurugram, Haryana-122016 Tel: +91 124 4961164, 65

Works

Cluster-1 Ozone Overseas Pvt. Ltd. Trilokpur Road, Kheri, Nahan District-Sirmour, Kala Amb, Himachal Pradesh Cluster-2 Ozone Overseas Pvt. Ltd. Industrial Area Ghiloth, Alwar, Rajasthan

Experience Centres

Build HQ, Raja Annamalai Building, 1st Floor, Rukmani Lakshmipathi Rd, Egmore, Chennai, Tamil Nadu - 600008 Mehrauli-Gurgaon Road, Opp. Metro Pillar No-94, Gadaipur, Sector-28, New Delhi - 110030 Ground Floor, Eldeco Corporate Chamber -1, Vibhuti Khand, Gomti Nagar, Lucknow - 226010

Building No. 62, Asha Pearl, 100 Feet Rd, Defence Colony, Indiranagar, Bengaluru, Karnataka 560038

Branch Offices

Ahmedabad

407, 4th Floor, Shivalik Abaise, Opp. Shell Petrol Pump, Prahaladnagar, Ahmedabad – 380051 Tel: +91 079 29706789

Bengaluru

No. 424, 2nd Floor, Above HDFC Bank, Passport Office Road, 6th block, Koramangala, Bangaluru - 560034 Tel: +91 80 41207539 blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra Near Solitaire Hotel, Chandigarh - 160101 Mob: +91 9316001154

Chennai

1-A, Jasoda Apartments, No: 12, Ground Floor, Bank Street, Kilpauk, Chennai - 600010. Tel: 044 43802063

Cochin

Room No. BO, 1st Floor, G 142, Street A, Panampilly Nagar, Eranakulam 682036 Mob: +91 7291981739

*Also Operation Office

Hyderabad

Unit # 704, 7th Floor, Shangrila Plaza, Road No. 2, Banjara Hills, Hyderabad - 500034

Jaipur

27, 5th Floor, Mahima Trinity Mall, Swej Farm, New Sanganer Road, Jaipur-302019 Tel: +91 141 2294261 jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor, Room No:- 4H Delta House. Kolkatta - 700001 Mob: +91 9831176481

Pune

#105, 1st Floor, Suyog Center Market Yard, Gultekdi, Pune – 411037 Mob: +91 7678117567

Mumbai

The Avenue, 607, Near Waterstones Hotel, Int. Airport Road, Marol, Andheri (E), Mumbai - 400059 Tel: +91 22 28306453 Mob: +91 7045775977

Surat

201, Luxuria Business Hub, Nr.V.R.Mall, Surat-Dumas Road, New Magdalla Road, Surat - 395007 Mob: +91 9724009921

Visakhapatnam

Door No 48-3-39, Sarayu Residency Srinagar, Opp. Day and Night Hospital, Visakhapatnam A.P. 530016 Mob: +91 9515156438



Visit Website

Specifications subject to change without notice



Corporate Office: H-40, Bali Nagar, New Delhi - 110015, INDIA

Operations Office: Ozone Overseas Pvt. Ltd. Registered Office: H-40, Bali Nagar, New Delhi-110015, India Visit: www.ozone.in | Email: customercare@ozone.in | Customer Care: +91 9310012300